## Amendments to the Claims

	Claim 1 (contently amonded). A method of programmanically computing street intersections using		
2	street geometry, comprising steps of:		
3	obtaining street geometry information for a first street;		
4	comparing the obtained street geometry information for the first street to obtained street		
5	geometry information for one or more other streets to determine intersecting ones of the one or		
6	more other streets[[; and]], further comprising steps of:		
7	comparing a bounding box corresponding to a geometric line representation of the		
8	first street to the bounding box corresponding to the geometric line representation of a selected		
9	one of the one or more other streets; and		
10	if the step of comparing the bounding boxes determines a potential intersection.		
11	comparing the geometric line representation of the first street to the geometric line representation		
12	of the selected one of the other streets:		
13	for each of the intersecting ones, storing a geographic location of a point of [[the]]		
14	intersection, along with an identification of the first street address and the identification of the		
15	intersecting one.		
1	Claim 2 (original): The method according to Claim 1, wherein the obtained street geometry		
2	information originates from textual address information.		
1	Claim 3 (currently amended): The method according to Claim 1, wherein the geographic location		
	Social No. 10/077 one		
	Serial No. 10/077,080 -3- Docket RSW920020019US1		

- 2 comprises latitude and longitude values of the obtained intersection point.
- Claim 4 (previously presented): The method according to Claim 1, wherein the storing step
- 2 stores geographic locations as geometric data.
- Claim 5 (currently amended): The method according to Claim 1, wherein the storing step further
- comprises the step of storing a reciprocal comprising the geographic location of [[a]] the point of
- 3 [[the]] intersection, along with the identification of the intersecting one and the identification of
- 4 the first street address.
- Claim 6 (original): The method according to Claim 1, wherein the obtained street geometry
- 2 information is retrieved from a database table.
- Claim 7 (original): The method according to Claim 1, wherein the obtained street geometry
- 2 information is dynamically computed from textual address information.
  - Claims 8 9 (canceled)
- Claim 10 (original): The method according to Claim 1, further comprising the step of repeating
- 2 the obtaining, comparing, and storing steps for at least one of the one or more other streets.

Serial No. 10/077,080

1	Claim 11 (original): The method according to Claim 1, wherein the storing step further comprises
2	the step of creating or updating a row in a relational database table.
	$\cdot$
1	Claim 12 (currently amended): A system for programmatically computing street intersections
2	using street geometry, comprising:
3	means for obtaining street geometry information for a first street;
4	means for comparing the obtained street geometry information for the first street to
5	obtained street geometry information for one or more other streets to determine intersecting ones
6	of the one or more other streets[[; and]], further comprising:
7	means for comparing a bounding box corresponding to a geometric line
8	representation of the first street to the bounding box corresponding to the geometric line
9	representation of a selected one of the one or more other streets; and
1.0	means for comparing the geometric line representation of the first street to the
11	geometric line representation of the selected one of the other streets if the means for comparing
12	the bounding boxes determines a potential intersection;
13	for each of the intersecting ones, means for storing (1) a geographic location of a point of
14	[[the]] intersection, along with an identification of the first street address and the identification of
15	the intersecting one, in a relational database table; and (2) a reciprocal comprising the geographic
16	location of [[a]] the point of [[the]] intersection, along with the identification of the intersecting
17	one and the identification of the first street address.

1

FAX

4

5

6

7

8

9

10

11

12

13

14

15

16

4073437587

1 Claim 13 (currently amended): The system according to Claim 12	wherein the geo	graphic
--	-----------------	---------

location comprises latitude and longitude values of the obtained intersection point. 2

Claim 14 - 15 (canceled)

- 1 Claim 16 (currently amended): A computer program product for programmatically computing 2 street intersections using street geometry, the computer program product embodied on one or 3 more computer-readable media and comprising:
  - computer-readable program code means for obtaining street geometry information for a first street;
  - computer-readable program code means for comparing the obtained street geometry information for the first street to obtained street geometry information for one or more other streets to determine intersecting ones of the one or more other streets[[; and]], further comprising;
  - computer-readable program code means for comparing a bounding box corresponding to a geometric line representation of the first street to the bounding box corresponding to the geometric line representation of a selected one of the one or more other streets; and
  - computer-readable program code means for comparing the geometric line representation of the first street to the geometric line representation of the selected one of the other streets if the computer-readable program code means for comparing the bounding boxes

Serial No. 10/077.080

-6-

Docket RSW920020019US1

17

18

1.9

20

21

22

23

24

25

26

1

2

3

4

5

б

7

8

## determines a potential intersection:

for each of the intersecting ones, computer-readable program code means for storing (1) a geographic location of a point of [[the]] intersection, along with an identification of the first street address and the identification of the intersecting one, in a relational database table; and (2) a reciprocal comprising the geographic location of [[a]] the point of [[the]] intersection, along with the identification of the intersecting one and the identification of the first street address; and computer-readable program code means for repeating operation of the computer-readable program code means for obtaining, computer-readable program code means for comparing, and computer-readable program code means for storing, for at least one of the one or more other streets.

## Claim 17 (canceled)

- Claim 18 (new): A method of programmatically computing street intersections using street geometry, comprising steps of:
- comparing a bounding box corresponding to a geometric line representation of a first street to the bounding box corresponding to the geometric line representation of at least one selected one of one or more other streets; and
  - for each bounding box comparison that determines a potential intersection, comparing the geometric line representation of the first street to the geometric line representation of the selected street to determine whether the first street and the selected street intersect.

Serial No. 10/077,080

- 1 Claim 19 (new): The method according to Claim 18, wherein the step of comparing the
- 2 geometric line representations further comprises the step of determining a point of intersection
- 3 between the first street and the selected street when it is determined that the first street and the
- 4 selected street intersect.
- 1 Claim 20 (new): A method of programmatically computing street intersections using street
- 2 geometry, comprising steps of:
- 3 comparing a bounding box corresponding to a geometric line representation of a first
- 4 street to the bounding box corresponding to the geometric line representation of each of one or
- 5 more other streets;
- for each bounding box comparison that determines a potential intersection, comparing the
- 7 geometric line representation of the first street to the geometric line representation of the other
- 8 street; and
- g for each geometric line representation comparison that determines an actual intersection,
- 10 determining a geographic location of a point of the actual intersection.